

TRACTOR

TRAINING SHEET

Mr Andrew Cymbell
Name5.23.11
Date**SAFETY**

- Ear protection (recommended)
- Eye protection (recommended)
- Hard hat (optional)
- Work gloves (recommended)

PRE-START TRAINING OVERVIEW

- Explain daily pre-check tag for equipment use.
- Explain general turf vehicle rules.
- General instrumentation (explain purpose and location)
- Transmission operation with gear patterns.
- Seat adjustment location.
- Parking brake location and use.
- Hand throttle location and use.
- Location of ignition.
- Explanation of how to use individual wheel brakes to make turns.
- Explanation of differential lock.
- PTO controls and operation.
- Location to check oil (both engine and hydraulic) and location of oil chart. (use correct grade for each piece of equipment.)
- Visual check for damage including loose or broken parts.
- Visual inspection of tires for correct pressure or damage.

TO START

- All safety equipment in place.
- Parking brake engaged.
- Transmission in neutral.
- PTO disengaged.
- Depress clutch pedal.
- Pre-start (glow plug) cold start only.
- Turn ignition to start.
- Allow approximately 10 minutes warm-up time. (especially with temperatures below 40 degrees)

OPERATION


- Disengage parking brake.
- Place transmission in desired gear.
- Depress accelerator slowly.
- Do not use hand throttle while in transport.

OPERATION OF POWER TAKE OFF (PTO)


- Lower throttle (low RPM) this technique is extremely important to avoid damage to PTO assembly.
- Depress clutch pedal.
- Select low range and gear.
- Engage PTO lever.
- Engage clutch.
- DO NOT OPERATE PTO OVER 2540 RPM. Mechanical and/or personal injury may occur.
- To disengage PTO – disengage clutch; disengage PTO lever; lower throttle RPM.
- NEVER stand close or over the PTO shaft while it is engaged. Always disengage PTO and turn of the tractor before working on the PTO shaft or piece of equipment



PROD. NO. 82548 MAIN FRAME ASSEMBLY



JACOBSEN MANUFACTURING COMPANY
OLATHE DIVISION, OLATHE, KANSAS 66061



17